

A NEW WOLF AT THE DOOR



TIMBERWOLF



WOOD/GAS
STOVES - INSERTS - FIREPLACES



TIMBERWOLF

Introducing the new Timberwolf® line of Hearth products. Our fireplaces, stoves and inserts are built to provide high quality, lifetime use and keep you warm and safe even if the power goes out. From gas to wood, inserts to stoves, contemporary to traditional, Timberwolf® has an appliance to fit any need. Innovative heating technology and Bluetooth controls are just some of the features that put Timberwolf® hearth products in front of the pack!

WOOD STOVES 4-7

T20
T25

WOOD INSERTS 8-11

T20i
T25i
T13C-1
T13T-1
T13TN-1

WOOD FIREPLACES 12-13

TZ3000H

GAS INSERTS 14-17

TD13N
TD13GN
TDIX3N

GAS STOVES 18-21

TDS50N
TDS28N
TDS60N
TDS20N

GAS FIREPLACES 22-25

TB36NTR
TB36NTRE
TB42NTR
TB42NTRE





T-SERIES



The T-Series are EPA approved wood burning stoves that come complete with a modern cast iron door and pedestal base in a metallic charcoal finish. The T-Series features a kitchen style “Easy Glide” pull out ash drawer with a removable ash pan and lid. The “Secure Lock” lever action door handle (with a removable handle shield) remains in a convenient up position when the door is open, making cleaning and refueling safe and easy. The T-Series is the perfect solution for those wanting wood burning technology with a clean, contemporary look.

T20

UP TO
65,000
BTU'S

1.9 CU. FT.
FIREBOX CAPACITY

BURN TIME:
8 HOURS

Weighted Average
Emissions Rate:
2.25 g/hr

Weighted Average
Overall Efficiency:
72%

LOG SIZE:
16"

FLU SIZE:
6"

T25

UP TO
70,000
BTU'S

2.51 CU. FT.
FIREBOX CAPACITY

BURN TIME:
16 HOURS

Weighted Average
Emissions Rate:
1.3 g/hr

Weighted Average
Overall Efficiency:
76.99%

LOG SIZE:
23"

FLU SIZE:
6"

Tested to 2020 cord wood requirements


Hidden hinges and extra large glass viewing area

Contemporary wood stove complete with contemporary cast door and cast pedestal base

Precision “Easy Glide” ash drawer with removable ash pan complete with lid for convenient and easy disposal

Heavy duty 5/16" firebox top

Ceramic fiber baffle system



Optional blower kit



Air shutter





A NEW WOLF AT THE DOOR



T20I



Clean and contemporary insert with extremely long burn times ensure you can watch the fire for pleasure instead of babysitting the fire for reloading. An included blower kit quietly circulates heat throughout the space.

- Tested to 2020 cord wood requirements
- Hidden hinges and extra large glass viewing area
- Minimum fireplace opening: 25 7/8" w x 22" h x 14" d



Dual blower system included

- UP TO 65,000 BTU'S
- 1.9 CU. FT. FIREBOX CAPACITY
- BURN TIME: 8 HOURS
- Weighted Average Emissions Rate: 2.25 g/hr
- Weighted Average Overall Efficiency: 72%
- LOG SIZE: 16"
- FLU SIZE: 6"



T25I



UP TO
70,000
BTU'S

2.51 CU. FT.
FIREBOX CAPACITY

BURN TIME:
16.26 HOURS

Weighted Average
Emissions Rate:
1.3 g/hr

Weighted Average
Overall Efficiency:
76.99%

LOG SIZE:
16"

FLU SIZE:
23"



A clean burning technology with low emissions and high efficiency, ensuring comfort and peace of mind. A contemporary look blends in to any decor, and cast construction ensures reliability for years to come.

Tested to 2020 cord wood requirements

Choose from 2 sizes of backer plates for installation versatility

Painted black cast iron door included

Conveniently located air control lever



Blower included



TPI3-1



UP TO
55,000
BTU'S

1.8 CU. FT.
FIREBOX CAPACITY

BURN TIME:
8 HOURS

Weighted Average
Emissions Rate:
1.21 g/hr

Weighted Average
Overall Efficiency:
71.6%

LOG SIZE:
18"

FLU SIZE:
6"



The TPI3-1 will match any décor whether it be traditional or contemporary. Four stainless steel secondary air tubes supercharge the fuel burning process. A log retainer and a heat circulating blower, make it a perfect solution for your home or cottage.

Tested to 2020 cord wood requirements


Contemporary or Traditional
Fireplace Insert

Largest Ceramic Glass Viewing
Area in the Industry

Minimum fireplace opening:
28"w x 22"h x 16"d

Full Refractory Lined Firebox

Effective Airwash



Variable Speed Blower Included



Removable Log Retainer
Painted Black Finish



TPI3C-1
Contemporary Model



TPI3TN-1
Traditional Model Brown

TPI3T-1
Traditional Model



Black Surround with Heritage Inset

TZ3000H



The TZ3000H has a catalytic combustor, yes, just like your car. This fireplace has lower emissions and burns up to 25% longer than it's predecessors.

Tested to 2020 cord wood requirements	UP TO 60,000 BTU'S
New Catalyst Added	2.3 CU. FT. FIREBOX CAPACITY
Digital Catalyst Temperature Monitor	BURN TIME: 17 HOURS
Advanced Airwash System	Weighted Average Emissions Rate: 1.38 g/hr
Cast Iron Bypass Door and Baffle	Weighted Average Overall Efficiency: 67.9%
Cast Iron Front Doors	FLUE SIZE: 7"
Black Andirons	



Wrought Iron Surround



Black Surround with Modern Inset

TDI3N

UP TO
24,500 BTU'S
340 sq.in.
VIEWING AREA

A clean face design, flush finish accessories and endless design opportunities make this perfect for smaller living spaces. The TDI3N is great for home owners who want the cost saving benefits of Zone Heating plus the benefit of replacing an old drafty masonry fireplace with an efficient heating source.

- Faceplates available in both 2 -1/2" or 5" widths

Directional baffles increase air flow for maximum blower efficiency

Wide range of media kits, brick panels and porcelain panels available

High Performance "H" Style Burner Provides Complete Firebox Width Flame Display

Clean Face Design And Flush Finish Accessories
- Simple and robust millivolt control system

Premium clean face safety barrier maximizes viewing area

Riser Box and Cast Iron Surround available

Vent Size: 2 - 3" Liners

Remote Options
- 



Westminster



Old Town Red



Porcelain Panels



Beautifully realistic Split Oak logset included



Superior heat circulating blower available



TDI3GN

UP TO
24,000 BTU'S
340 sq.in.
VIEWING AREA



The TDI3GN is the perfect solution for an economical heating source complemented with the modern elegance of a sparkling Topaz CRYSTALINE™ ember bed. A multitude of decorative designer accessories are also available to match any room in your home. Heating smarter and saving energy doesn't have to mean compromising great design.

- Sparkling Topaz Crystalline™ Ember Bed

Clean Face Design And Flush Finish Accessories

SIT Proflame II Electronic Ignition

Clean Face Design And Flush Finish Accessories

Directional baffles increase air flow for maximum blower efficiency

Clean contemporary faceplates and backerplates available
- MIRRO-FLAME™ Porcelain Reflective Radiant Panels available

Vent Size: 2 - 3" Liners
- 
- Proflame II Remote

eFire Enabled App



TDIX3N

A deluxe Gas Fireplace Insert which offers a thermostatic remote, an exclusive NIGHT LIGHT™ that radiates a warm glow throughout the room. Directional baffles increase air flow to help drive the heat into your home for maximum efficiency. The perfect solution for replacing and updating an inefficient old masonry setting. eFIRE Bluetooth technology included for your added convenience.

UP TO
30,000 BTU'S

340 sq.in.
VIEWING AREA

High Performance "H" Style
Burner Provides Complete
Firebox Width
Flame Display

Clean Face Design And Flush
Finish Accessories

SIT Proflame II Electronic
Ignition

Exclusive NIGHT LIGHT™
included

Premium clean face safety
barrier maximizes viewing
area

Directional baffles increase
air flow for maximum blower
efficiency

Clean contemporary
faceplates and backerplates
available

Wide range of media kits,
brick panels and porcelain
panels available

Superior heat circulating
blower available

Optional Faceplates 2.5"
And 5" Widths In 3-Sided Or
4-Sided Configurations

Vent Size: 2 - 3" Liners



Westminster



Old Town Red



Newport



Includes Porcelain Panels



Standard Oak log set



eFire Enabled App



Proflame II Remote

TDS20N

The TDS20N cast iron gas stove, with its slender, space saving design and 45° venting, is perfect for smaller rooms. The unit is available in metallic black or a porcelain enamel majolica brown finishes.



45 degree Venting



Hidden Control Panel



Ambient - Glow Embers



UP TO
20,000
BTU'S

Heat Radiating
Ceramic Glass

No Electricity Required

Flame/heat adjustment
for maximum comfort and
efficiency

PHAZERMATIC™
Burner System

Safety Screen Included

Realistic, Ceramic Fiber,
Light-Weight Molded
PHAZER® Log Set and
brightly glowing ember bed
that can be viewed through
the European styled ceramic
glass viewing area.

Equipped with 100% SAFE
GUARD™ gas control system
for your peace of mind

MIRROR-FLAME™
Porcelain Reflective
Radiant Rear Panel

Flue Size: 4"/7"



Blower Option



Remote Control Options

TDS60N

The TDS60N features cast iron design, solid performance and impressive heating efficiencies. Its fine detailing and elegant cast iron design is a perfect complement to any home.

UP TO
35,000
BTU'S

Heat Radiating Ceramic
Glass

No Electricity Required

Flame/heat adjustment
for maximum comfort and
efficiency

YELLOW DANCING
FLAMES®

Safety Screen Included

Compact, easily accessible
and user-friendly controls

Equipped with 100% SAFE
GUARD™ gas control
system for
your peace of mind

Larger viewing area with its
new updated design


Flue Size: 4"/7"



Blower Option



Remote Control Options



Sandstone



Andirons





TDS28N

If you have limited space but still desire the beauty and convenience of a gas stove... The TDS28N is the answer! Offering many options and a variable heat range as high as 30,000 BTU's, this stove may be compact in stature, but not in power!



Ambient - Glow Embers



3 Stain Chrome Door



3 Metallic Black Door



Andirons

UP TO
30,000
BTU'S

Heat Radiating
Ceramic Glass

No Electricity Required

Flame/heat adjustment
for maximum comfort and
efficiency

YELLOW DANCING
FLAMES®


Safety Screen Included
Built-in blower extracts
maximum heat from the
extra large heat exchanger

Compact, easily accessible
and user-friendly controls

Built-in blower extracts
maximum heat from the
extra large heat exchanger

Equipped with 100% SAFE
GUARD™ gas control
system for your peace of mind

Flue Size: 4"/7"



Blower Included



Remote Controls



TDS50N

This sophisticated gas stove comes complete with a built-in blower, extra large heat exchanger, easily accessible control panel and an advanced high tech, triple burner effect with a "furnace" type 14,000 BTU burner behind the logs.



Ambient - Glow Embers



3 Stain Chrome Door



3 Metallic Black Door



Andirons

UP TO
44,000
BTU'S

Heat Radiating
Ceramic Glass

Advanced,
Triple-Burner

Back-Up
Control System

Safety Screen
Included

Turbo Boost
Burner

Blower
Included

Piezo Ignitor

Flue Size: 4"/7"



PHAZER® Log Set



Blower Included



Remote Controls





TB36NTR/TB36NTRE

(electronic)

The TB36NTR is so versatile it can be installed almost anywhere! The shallow depth, at less than 16", allows for installations where space is limited. The clean face design maximizes the viewing area.



UP TO
18,000 BTU'S

Exclusive PHAZER™ Log Set
and Glowing Ember Bed

Pan Style Burner

Millivolt or Electronic ignition
systems available

Back-up control system
ensures reliable use, even
during power failures

Clean face design
with no louvers

Optional MIRROFLAME™
Porcelain Reflective Radiant
Panels

Optional blower kit

Optional media enhancement
kits include Beach Fire, Shore
Fire and Mineral Rocks

Vent Size: 4"/7"



Beach Fire Kit

Shore Fire Kit

Mineral Rock Kit




Blower Option




Remote Control Options



Wrought Iron Front



Zen Front



Heritage Front



Clean Face Front



PHAZER® Log Set



Includes Porcelain Panels



TB42NTR/TB42NTRE

(electronic)

The TB42NTR Gas Fireplace offers a multitude of options with decorative safety barriers, surrounds, trims, decorative brick panels. The TB42NTR can be designed to your personal taste and can match any home décor.



UP TO
18,000 BTU'S

Exclusive PHAZER™ Log Set
and Glowing Ember Bed

Pan Style Burner

Millivolt or Electronic ignition
systems available

Back-up control system
ensures reliable use, even
during power failures

Clean face design with no louvers

Optional MIRROFLAME™
Porcelain Reflective
Radiant Panels

Optional blower kit

Optional media enhancement
kits include Beach Fire, Shore
Fire and Mineral Rocks

Optional decorative
fronts or 2" trim kit

Vent Size: 4"/7"



Beach Fire Kit

Shore Fire Kit

Mineral Rock Kit



Blower Option




Remote Control Options




Sandstone



Wrought Iron Front



Zen Front



Heritage Front



Clean Face Front



PHAZER® Log Set



Includes Porcelain Panels



S
P
E
C
I
F
I
C
A
T
I
O
N
S

WOOD STOVES
T20
T25

WOOD INSERTS
T20i
T25i
T13C-1
T13T-1
T13TN-1

WOOD FIREPLACES
TZ3000H

GAS INSERTS
TD13N
TD13GN
TDIX3N

GAS STOVES
TDS50N
TDS28N
TDS60N
TDS20N

GAS FIREPLACES
TB36NTR
TB36NTRE
TB42NTR
TB42NTRE

WOOD STOVES

T20

2020 EPA Certified Wood Burning Stove

Fuel Type: Wood

Product Height (in): 34 1/4

Product Width (in): 26

Product Depth (in): 24 1/2




Glass / Viewing Height (in): 9 3/4

Glass / Viewing Width (in): 15 5/8

Heating Space (sq.ft): 800-1800

Total MAX (BTU): 65,000

Warranty: President Limited Lifetime



WOOD STOVES

T25

2020 EPA Certified Wood Burning Stove

Fuel Type: Wood

Product Height (in): 37 1/2

Product Width (in): 28 3/4

Product Depth (in): 27




Glass / Viewing Height (in) 10 7/8

Glass / Viewing Width (in) 18 1/2

Heating Space (sq.ft): up to 2100 sq. ft.

Total MAX (BTU): 70,000

Warranty: President Limited Lifetime



WOOD INSERT

T20i

2020 EPA Certified Wood Burning Insert

Fuel Type: Wood

Minimum Fireplace Opening:
25 7/8"w x 22"h x 14"d

Product Height (in): 30 With Surround

Product Width (in): 41 With Surround

Product Depth (in): 26 1/2




Glass / Viewing Height (in): 9 3/4

Glass / Viewing Width (in): 15 5/8

Heating Space (sq.ft): 800-1800

Total MAX (BTU): 65,000

Warranty: President Limited Lifetime



T25i

2020 EPA Certified Wood Burning Insert

Fuel Type: Wood

Minimum Fireplace Opening:
31" w x 23 1/2" h x 15 1/2" d

Product Height (in): (See Chart Below)
With Surround

Product Width (in) (See Chart Below)
With Surround

Product Depth (in): 26


Glass / Viewing Height (in): 10 7/8

Glass / Viewing Width (in): 18 1/2

Heating Space (sq.ft): Up to 2100

Total MAX (BTU): 70,000

Warranty: President Limited Lifetime



Backer Plate	A	B
SBP25i3348 (Large)	48" (1219mm)	33" (838mm)
SBP25i3041 (Standard)	41" (1041mm)	30" (762mm)

Ti3C-1
Ti3T-1
Ti3TN-1

2020 EPA Certified Wood Burning Insert

Fuel Type: Wood

Minimum Fireplace Opening:
28" w x 22" h x 16" d Contemporary Series

Minimum Fireplace Opening:
28" w x 22" h x 18" d Traditional Series

Product Height (in): C-Model 29.5
With Surround Product Width (in): C-Model 42 1/2
With Surround

Product Height (in): T-Model 29.5
With Surround Product Width (in): T-Model 42 15/16
With Surround

Product Depth (in): 17 15/16


Glass / Viewing Height (in): 12 11/16

Glass / Viewing Width (in) 23 15/16

Heating Space (sq.ft): 1500

Total MAX (BTU) 55,000

Warranty: President Limited Lifetime



TZ3000H

EPA Certified 2020
Wood Fireplace

Fuel Type: Wood

Product Height (in): 43 1/8

Product Width (in): 42

Product Depth (in): 29 1/4


Glass / Viewing Height (in): 17

Glass / Viewing Width (in): 12 1/2

Heating Space (sq.ft): Up to 3,000 sq. ft.

Total MAX (BTU): 60,000

Warranty: President Limited Lifetime



TDi3N

Gas Fireplace Insert

Fuel Type: Natural Gas

Minimum Fireplace Opening:
29" w x 21 1/2" h x 14 3/8" d

Product Height (in): 20 15/16

Product Width (in): 28 5/8

Product Depth (in): 14 3/8


Glass / Viewing Height (in): 15

Glass / Viewing Width (in): 22 11/16

Total MAX (BTU): 24,500

Mobile Home Certified: Yes

Warranty: President Limited Lifetime



Ref.	TDi3N	TDi3GN	TDiX3N
A	13 7/16" [341mm]	13 13/16" [376mm]	
B	7 1/2" [190mm]	6 7/8" [175mm]	

* Dimension with optional blower kit installed.

TDiX3N

Gas Direct Vent Insert

Fuel Type: Natural Gas

Minimum Fireplace Opening:
29" w x 21 1/2" h x 14 3/8" d

Product Height (in): 20 15/16

Product Width (in): 28 5/8

Product Depth (in): 14 3/8

Glass / Viewing Height (in): 15

Glass / Viewing Width (in): 22 11/16

Total MAX (BTU): 30,000

Mobile Home Certified: Yes

Warranty: President Limited Lifetime

TDS50N

Gas Direct Vent Stove

Fuel Type: Natural Gas

Product Height (in): 30 3/4

Product Width (in): 28 1/4


Product Depth (in): 21 5/8

Glass / Viewing Height (in): 12 5/8

Glass / Viewing Width (in): 22 1/2

Total MAX (BTU): 44,000

Warranty: President Limited Lifetime



TDS28N

Gas Direct Vent Stove

Fuel Type: Natural Gas

Product Height (in): 26 3/4

Product Width (in): 22 1/2


Product Depth (in): 18 1/2

Glass / Viewing Height (in): 11 3/8

Glass / Viewing Width (in): 24 1/2

Total MAX (BTU): 30,000

Warranty: President Limited Lifetime



TDS60N

Cast Iron Gas Direct Vetn Stove

Fuel Type: Natural Gas

Product Height (in): 37

Product Width (in): 27


Product Depth (in): 19 1/2

Glass / Viewing Height (in): 18 3/4

Glass / Viewing Width (in): 21

Total MAX (BTU): 35,000

Warranty: President Limited Lifetime



TDS20N

Cast Iron Gas Direct Vent Stove

Fuel Type: Natural Gas

Product Height (in): 25 3/8

Product Width (in): 19 1/4


Product Depth (in): 18 1/2

Glass / Viewing Height (in): 13

Glass / Viewing Width (in): 14

Total MAX (BTU): 20,000

Warranty: President Limited Lifetime



TB36NTR
TB36NTRE

Gas Direct Vent Fireplaces

Fuel Type: Natural Gas

Product Height (in): 34 5/8

Product Width (in): 35

Product Depth (in): 15 3/4


Glass / Viewing Height (in): 23.69

Glass / Viewing Width (in): 30 1/2

Total MAX (BTU): 18,000

Mobile Home approved: Yes
(check local codes)

Warranty: President Limited Lifetime



TB42NTR
TB42NTRE

Gas Direct Vent Fireplaces

Fuel Type: Natural Gas

Product Height (in): 34 5/8

Product Width (in): 42

Product Depth (in): 18 15/16


Glass / Viewing Height (in): 23.69

Glass / Viewing Width (in): 37.69

Total MAX (BTU): 22,000

Mobile Home approved: Yes
(check local codes)

Warranty: President Limited Lifetime





TIMBERWOLF



Orders 800.247.3305 | Tech 800.256.1926 | www.copperfield.com